

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
(સમય તા : ૦૧.૦૯.૧૨ થી ૦૫.૦૯.૧૨)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	09.0
મહત્તમ તાપમાન (સે.ગ્રે.)	33.3
લઘુત્તમ તાપમાન (સે.ગ્રે.)	25.1
ભેજ(%) (સવાર/બપોરબાદ)	93-66
પવનની ગતિ (કિમી/કલાક)	3.5

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૦૫.૦૯.૧૨ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૦૧.૦૯.૧૨	૬	૪
	૦૨.૦૯.૧૨	૧૧	૧૩
	૦૩.૦૯.૧૨	૭	૧૨
	૦૪.૦૯.૧૨	૦	૦
	૦૫.૦૯.૧૨	૬	૯
મહત્તમ તાપમાન (સે.ગ્રે.)	૦૧.૦૯.૧૨	૩૨	૩૩
	૦૨.૦૯.૧૨	૩૦	૩૨
	૦૩.૦૯.૧૨	૨૯	૩૦
	૦૪.૦૯.૧૨	૨૯	૩૦
	૦૫.૦૯.૧૨	૨૮	૨૯
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૦૧.૦૯.૧૨	૨૭	૨૭
	૦૨.૦૯.૧૨	૨૭	૨૬
	૦૩.૦૯.૧૨	૨૬	૨૬
	૦૪.૦૯.૧૨	૨૭	૨૭
	૦૫.૦૯.૧૨	૨૭	૨૬
વાદળની સ્થિતિ (ઓકટા)	૦૧.૦૯.૧૨	અંશત: વાદળછાયુ	અંશત: વાદળછાયુ
	૦૨.૦૯.૧૨	અંશત: વાદળછાયુ	અંશત: વાદળછાયુ
	૦૩.૦૯.૧૨	અંશત: વાદળછાયુ	અંશત: વાદળછાયુ
	૦૪.૦૯.૧૨	વાદળછાયુ	વાદળછાયુ
	૦૫.૦૯.૧૨	વાદળછાયુ	વાદળછાયુ
મહત્તમ ભેજ (%)	૦૧.૦૯.૧૨	૯૦	૯૩
	૦૨.૦૯.૧૨	૯૨	૯૪
	૦૩.૦૯.૧૨	૯૦	૯૩
	૦૪.૦૯.૧૨	૯૨	૯૪
	૦૫.૦૯.૧૨	૯૧	૯૩
લઘુત્તમ ભેજ (%)	૦૧.૦૯.૧૨	૮૬	૮૭
	૦૨.૦૯.૧૨	૮૮	૮૯
	૦૩.૦૯.૧૨	૮૦	૮૦
	૦૪.૦૯.૧૨	૮૭	૮૮
	૦૫.૦૯.૧૨	૮૬	૮૭
પવનની ગતિ (કિમી/કલાક)	૦૧.૦૯.૧૨	૦૦૬	૦૦૫
	૦૨.૦૯.૧૨	૦૦૭	૦૦૫
	૦૩.૦૯.૧૨	૦૧૧	૦૦૬
	૦૪.૦૯.૧૨	૦૧૦	૦૦૬
	૦૫.૦૯.૧૨	૦૧૨	૦૦૮
પવનની દિશા (ડીગ્રી)	૦૧.૦૯.૧૨	૨૭૬	૨૭૨
	૦૨.૦૯.૧૨	૨૩૧	૨૨૨
	૦૩.૦૯.૧૨	૨૩૫	૨૧૭
	૦૪.૦૯.૧૨	૨૪૬	૨૩૨
	૦૫.૦૯.૧૨	૨૫૭	૨૪૦

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	કપાસ	- વાવેતર નો સમય ધ્યાને લઈ પાક ત્રણ માસ નો થયે પુર્તી રસાયણીક ખાતરનો ત્રીજો હપ્તો ૪૦ કિગ્રા નાઈટ્રોજન એટલે કે ૮૮ કિગ્રા યુરીયા આપવું.
	મગફળી	- મગફળી નો પાક પીળો જણાય તો ૧૦૦ ગ્રામ હિરાક્સી (ફેરસ સલ્ફેટ) અને ૧૦ ગ્રામ લીંબુના ફુલ (સાઈટ્રીક એસીડ) ૧૦ લીટર પાણીમાઓગાળી છંટકાવ કરવો. - મગફળીમા ગેરૂ તેમજ ટીકકા રોગના નિયંત્રણ માટે મેન્કોઝેબ દવા ૨૦ ગ્રામ ૧૦ લિટર પાણીમાઢાવણ બનાવી છંટકાવ કરવો.
	દિવેલા	- દિવેલા ના પાકમા ગેપફીલીંગ કરવું.

Junagadh

Phone: 0285-2670139

Date :31-08-2012

(Period 01September to 05 September -2012)

Significant weather for the preceding week

Rain fall (mm)	09.0
Maximum temperature ⁰ C	32.5-34.0
Minimum temperature ⁰ C	25.0-25.5
RH % (Morning/Afternoon)	93-62
Wind speed (Kmph)	3.2-3.9
Cloud cover	5-8

Weather forecast for Junagadh Dist. until 0830 hrs of 05-09-2012

Parameters	Day-1 01-09- 2012	Day-2 02-09-12	Day-3 03-09-12	Day-4 04-09-12	Day-5 05-09-12
Rain fall (mm)	6	11	7	0	6
Maximum temperature ⁰ C	32	30	29	29	28
Minimum temperature ⁰ C	27	27	26	27	27
Cloud cover (Okta)	4	5	3	8	8
RH % (Morning/After noon)	90-86	92-88	90-80	92-87	91-86
Wind speed (Kmph)	006	007	011	010	012
Wind direction(Deg)	276	231	235	246	257

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Cotton	Branching	- After three month of sowing, apply third dose of top dressing of nitrogen @ 40 kg/ha i.e. 88 kg urea/ha.
Ground nut	Pegging/flowering	- If yellowing in ground nut is found, Spray Ferrous sulphate @ 100 gm with 10 gm of citric acid in 10 liter of water. - For the control of tikka disease in peanut, spray mencozeb @ 20 gm in 10 liter of water.
Castor	--	- Gap filling should be carried out in castor crop.

Porbandar

Phone : 0285-2670139

Date : 31-08-2012

(Period 01 September to 05 September -2012)

Weather forecast for Porbandar Dist. until 0830 hrs of 05-09-2012

Parameters	Day-1 01-09- 2012	Day-2 02-09-12	Day-3 03-09-12	Day-4 04-09-12	Day-5 05-09-12
Rain fall (mm)	4	13	12	0	9
Maximum temperature ⁰ C	33	32	30	30	29
Minimum temperature ⁰ C	27	26	26	27	26
Cloud cover (Okta)	3	4	3	8	8
RH % (Morning/After noon)	93-87	94-89	93-80	94-88	93-87
Wind speed (Kmph)	005	005	006	006	008
Wind direction(Deg)	272	222	217	232	240

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Cotton	Branching	- After three month of sowing, apply third dose of top dressing of nitrogen @ 40 kg/ha i.e. 88 kg urea/ha.
Ground nut	Pegging/flowering	- If yellowing in ground nut is found, Spray Ferrous sulphate @ 100 gm with 10 gm of citric acid in 10 liter of water. - For the control of tikka disease in peanut, spray mencozeb @ 20 gm in 10 liter of water.
Castor	--	- Gap filling should be carried out in castor crop.