

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન

(સમય તા : ૦૨.૦૩.૧૩ થી ૦૬.૦૩.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	૦૦૦.૦
મહત્તમ તાપમાન (સે.ગે.)	૩૩.૦
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૬.૪
ભેજ(%) (સવાર/બપોરબાદ)	૫૯-૧૭
પવનની ગતિ (કિમી/કલાક)	૭.૫

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૦૬.૦૩.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૦૨.૦૩.૧૩	૦	૦
	૦૩.૦૩.૧૩	૦	૦
	૦૪.૦૩.૧૩	૦	૦
	૦૫.૦૩.૧૩	૦	૦
	૦૬.૦૩.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૦૨.૦૩.૧૩	૩૨	૩૨
	૦૩.૦૩.૧૩	૩૩	૩૩
	૦૪.૦૩.૧૩	૩૩	૩૩
	૦૫.૦૩.૧૩	૩૪	૩૪
	૦૬.૦૩.૧૩	૩૪	૩૪
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૦૨.૦૩.૧૩	૧૯	૨૧
	૦૩.૦૩.૧૩	૨૦	૨૨
	૦૪.૦૩.૧૩	૨૦	૨૨
	૦૫.૦૩.૧૩	૨૧	૨૩
	૦૬.૦૩.૧૩	૨૧	૨૪
વાદળની સ્થિતિ (ઓકટા)	૦૨.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૩.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૪.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૫.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૬.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
મહત્તમ ભેજ (%)	૦૨.૦૩.૧૩	૨૬	૧૭
	૦૩.૦૩.૧૩	૨૪	૧૬
	૦૪.૦૩.૧૩	૩૨	૧૭
	૦૫.૦૩.૧૩	૩૩	૧૮
	૦૬.૦૩.૧૩	૨૧	૧૫
લઘુત્તમ ભેજ (%)	૦૨.૦૩.૧૩	૧૫	૧૧
	૦૩.૦૩.૧૩	૧૫	૧૩
	૦૪.૦૩.૧૩	૧૮	૧૦
	૦૫.૦૩.૧૩	૨૦	૧૬
	૦૬.૦૩.૧૩	૧૫	૧૩
પવનની ગતિ (કિમી/કલાક)	૦૨.૦૩.૧૩	૦૨૧	૦૧૬
	૦૩.૦૩.૧૩	૦૧૯	૦૧૪
	૦૪.૦૩.૧૩	૦૧૭	૦૧૦
	૦૫.૦૩.૧૩	૦૧૬	૦૧૨
	૦૬.૦૩.૧૩	૦૧૬	૦૧૨
પવનની દિશા (ડીગ્રી)	૦૨.૦૩.૧૩	૪૧	૪૫
	૦૩.૦૩.૧૩	૩૩	૪૨
	૦૪.૦૩.૧૩	૧૩૩	૨૬
	૦૫.૦૩.૧૩	૧૧	૨૧
	૦૬.૦૩.૧૩	૨૧	૩૭

પત્રક-ક

જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	ઉનાળુ મગ	<ul style="list-style-type: none">- ઉનાળુ મગનુ વાવેતર ૧૫ માર્ચ સુધીમાં કરવુ.- મગની સુધરેલી જાતો જેવી કે કે-૮૫૧ અથવા મગ ગુજરાત-૩ પસંદ કરી બિયારણ નો દર ૨૫ કિગ્રા/હેક્ટર રાખવો.- પાકને વાવતી વખતે હેક્ટરે ૨૦ કિગ્રા નાઈટ્રોજન ૪૦ કિગ્રા ફોસ્ફરસ આપવો એટલે કે હેક્ટરે ૮૭ કિગ્રા ડિએપી અને ૧૦ કિગ્રા યુરીયા આપવુ.
	ઘઉં	<ul style="list-style-type: none">- ઘઉંના પાકની સમયસર કાપણી કરવી.
	ઉનાળુ મગફળી	<ul style="list-style-type: none">- જો પિયતની પુરતી સગવડ હોય તો ઉનાળુ મગફળી ની જાતો જેવી કે જી.જી.-૨, જી.જી.-૪ અથવા ટીજી-૨૬ નુ વાવેતર કરવુ
	આંબા	<ul style="list-style-type: none">- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવુ.

Junagadh

Phone: 0285-2670139

Date: 01-03-2013

(Period 02 March to 06 March -2013)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	32.0-34.0
Minimum temperature °C	15.0-17.8
RH % (Morning/Afternoon)	59-17
Wind speed (Kmph)	6.8-8.8
Cloud cover	0-0

Weather forecast for Junagadh Dist. until 0830 hrs of 06- 03-2013

Parameters	Day-1 02-03-13	Day-2 03-03-13	Day-3 04-03-13	Day-4 05-03-13	Day-5 06-03-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	32	33	33	34	34
Minimum temperature °C	19	20	20	21	21
Cloud cover (Okta)	0	0	0	0	0
RH % (Morning/After noon)	26-15	24-15	32-18	33-20	21-15
Wind speed (Kmph)	021	019	017	016	016
Wind direction(Deg)	41	33	133	11	21

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Summer Moong	-	<ul style="list-style-type: none"> - Sowing operation of summer moong should be completed up to 15th March. - Select the variety either K-851 or Moong Gujarat-3 for summer sowing and keep the seed rate 25 kg/ha. - Apply 20 kg N and 40 kg P2O5 at the time of sowing (i.e. 87 kg DAP/ha and 10 kg urea/ha)
Wheat	Maturity	<ul style="list-style-type: none"> - Crop should be harvested at the maturity stage.
Summer Groundnut	-	<ul style="list-style-type: none"> - If irrigation facility is available, sowing operation should be carried out by selecting variety either GG-2, GG-5 or TG- 26.
Mango	-	<ul style="list-style-type: none"> - Apply irrigation at an interval of 10 to 12 days.

Porbandar

Phone : 0285-2670139

Date : 01-03-2013

(Period 02 March to 06 March -2013)

Weather forecast for **Porbandar** Dist. until 0830 hrs of 06- 03-2013

Parameters	Day-1 02-03-13	Day-2 03-03-13	Day-3 04-03-13	Day-4 05-03-13	Day-5 06-03-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	32	33	33	34	34
Minimum temperature °C	21	22	22	23	24
Cloud cover (Okta)	0	0	0	0	0
RH % (Morning/After noon)	17-11	16-13	17-10	18-16	15-13
Wind speed (Kmph)	016	014	010	012	012
Wind direction(Deg)	45	42	26	21	37

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Summer Moong	-	<ul style="list-style-type: none"> - Sowing operation of summer moong should be completed up to 15th March. - Select the variety either K-851 or Moong Gujarat-3 for summer sowing and keep the seed rate 25 kg/ha. - Apply 20 kg N and 40 kg P₂O₅ at the time of sowing (i.e. 87 kg DAP/ha and 10 kg urea/ha)
Wheat	Maturity	<ul style="list-style-type: none"> - Crop should be harvested at the maturity stage.
Summer Groundnut	-	<ul style="list-style-type: none"> - If irrigation facility is available, sowing operation should be carried out by selecting variety either GG-2, GG-5 or TG- 26.
Mango	-	<ul style="list-style-type: none"> - Apply irrigation at an interval of 10 to 12 days.