

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
(સમય તા: ૦૩.૧૧.૧૦ થી ૦૭.૧૧.૧૦)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	૦૦૦.૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૩૪.૮
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૨૧.૩
ભેજ(%) (સવાર/બપોરબાદ)	૬૯-૩૧
પવનની ગતિ (કિમી/કલાક)	૪.૭

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૭.૧૧.૧૦ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૦૩.૧૧.૧૦	૦	૦
	૦૪.૧૧.૧૦	૦	૦
	૦૫.૧૧.૧૦	૦	૦
	૦૬.૧૧.૧૦	૦	૦
	૦૭.૧૧.૧૦	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૦૩.૧૧.૧૦	૩૫	૩૪
	૦૪.૧૧.૧૦	૩૪	૩૪
	૦૫.૧૧.૧૦	૩૪	૩૪
	૦૬.૧૧.૧૦	૩૫	૩૫
	૦૭.૧૧.૧૦	૩૫	૩૫
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૦૩.૧૧.૧૦	૨૨	૨૩
	૦૪.૧૧.૧૦	૨૨	૨૩
	૦૫.૧૧.૧૦	૨૨	૨૩
	૦૬.૧૧.૧૦	૨૩	૨૩
	૦૭.૧૧.૧૦	૨૩	૨૪
વાદળની સ્થિતિ (ઓકટા)	૦૩.૧૧.૧૦	Clear	Clear
	૦૪.૧૧.૧૦	Clear	Clear
	૦૫.૧૧.૧૦	Partly Cloudy	Mainly Clear
	૦૬.૧૧.૧૦	Partly Cloudy	Partly Cloudy
	૦૭.૧૧.૧૦	Partly Cloudy	Partly Cloudy
મહત્તમ ભેજ (%)	૦૩.૧૧.૧૦	૩૯	૩૧
	૦૪.૧૧.૧૦	૪૬	૩૬
	૦૫.૧૧.૧૦	૭૪	૬૦
	૦૬.૧૧.૧૦	૮૬	૮૫
	૦૭.૧૧.૧૦	૯૧	૮૭
લઘુત્તમ ભેજ (%)	૦૩.૧૧.૧૦	૩૦	૨૭
	૦૪.૧૧.૧૦	૩૯	૩૫
	૦૫.૧૧.૧૦	૫૫	૫૮
	૦૬.૧૧.૧૦	૫૪	૫૮
	૦૭.૧૧.૧૦	૩૮	૨૭
પવનની ગતિ (કિમી/કલાક)	૦૩.૧૧.૧૦	૦૦૯	૦૧૧
	૦૪.૧૧.૧૦	૦૧૦	૦૧૧
	૦૫.૧૧.૧૦	૦૦૪	૦૦૭
	૦૬.૧૧.૧૦	૦૦૩	૦૦૦
	૦૭.૧૧.૧૦	૦૦૬	૦૦૬
પવનની દિશા (ડીગ્રી)	૦૩.૧૧.૧૦	૦૫૦	૦૫૦
	૦૪.૧૧.૧૦	૦૫૦	૦૫૦
	૦૫.૧૧.૧૦	૦૫૦	૦૫૦
	૦૬.૧૧.૧૦	૦૭૦	૦૭૦
	૦૭.૧૧.૧૦	૦૩૦	૦૨૦

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	કપાસ	૧. જમીનની પ્રત ધ્યાને લઈ એકાંતરે પાટલે પિયત આપવું. ૨. કપાસ જેમ પાકતો જાય તેમ તેની વીણી કરતા રહેવી.
	ઝેરડા	૧. ઝેરડાના પાકમા મોલોમસી, તરતડીયા, શિયસ અને સફેદ માખીના નિયંત્રણ માટે ટ્રાયઝોફોસ ૨૦ મી.લી. અથવા મિથાઈલ-ઓ-ડિડિમેટોન અથવા મોનોક્રોટોફોસ ૩૬ ઈ.સી. ૧૨ મી.લી. ૧૦ લીટર પાણીમા ભેળવી છંટકાવ કરવો. ૨. જમીનની પ્રત ધ્યાને લઈ એકાંતરે પાટલે પિયત આપવું. ૩. દિવેલાની લુમો પરીપકવ થાય એટલે કાળજીપુર્વક લણણી કરી લેવી.
	શેરડી	૧. શેરડીના પાકમા ભીંગડાવાળી અને ચીટકો જીવાતના નિયંત્રણ માટે વાવેતર કરતા પહેલા શેરડીના કટકાને મેલાથીઓન ૫૦ ઈ.સી. ૧૦ મી.લી. દવા ૧૦ લીટર પાણીમા દ્રાવણ બનાવી તેમા કાતરાને પાંચ મીનીટ બોળીને વાવેતર કરવું.
	બાગાયતી પાકો	૧. ફળઝાડના પાકોના બગીચામા નિંદામણ કરવું. ૨. બોરના પાકમા ભુકી છારાના રોગના નિયંત્રણ માટે ડીનોકેપ ૪૮ ઈ.સી. ૧૦ મી.લી. ૧૦ લી. પાણીમા ભેળવી છંટકાવ કરવો.
	શાકભાજી પાકો	૧. મરચીની રોપણી બાદ ચુસીયા પ્રકારની જીવાતના નિયંત્રણ માટે દાણાદાર ફોરેટ અથવા થીમેટ ૧૦જી છોડદીઠ ૨ગ્રામ જમીનમા આપવું.



**AGROMET ADVISORY SERVICE BULLETIN FOR THE
JUNAGADH AND PORBANDAR DISTRICT OF SOUTH
SAURASHTRA AGRO-CLIMATIC ZONE**

(Issued jointly by IAAS, Junagadh, Junagadh Agricultural University and
India Meteorological Department)

(Period 03 to 07 November- 2010)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	34.5-35.0
Minimum temperature °C	20.4-23.0
RH % (Morning/Afternoon)	69-31
Wind speed (Kmph)	3.7-5.4
Cloud cover	1-4

Weather forecast for Junagadh Dist. until 0830 hrs of 07-11-2010

Parameters	Day-1 03-11-10	Day-2 04-11-10	Day-3 05-11-10	Day-4 06-11-10	Day-5 07-11-10
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	35	34	34	35	35
23M25i25n25i24mum temperature °C	22	22	22	23	23
Cloud cover (Okta)	0	0	4	3	5
RH % (Morning/After noon)	39-30	46-39	74-55	86-54	91-38
Wind speed (Kmph)	009	010	004	003	006
Wind direction(Deg)	050	050	050	070	030

Agro meteorological Advisories

Cotton	1	Apply irrigation to the crop as when required.
	2	Harvest the crop timely.
Castor	1	For the control of Aphids, thrips and jassids to spray Trizophos 20 ml or methyl- O-demeton 5 ml or dimethiote 30 EC 10 ml or monocrotophos 36 EC 12 ml in 10 liters of water
	2	Apply irrigation to the crop as when required.
Plantation Crops	1	Hand weeding should be taken in fruit crops orchard.
	2	For the control of powdery mildew disease to spraying of Denocap 48 EC @ 10 ml in 10 lit of water.

(Period 03 to 07 November- 2010)

Weather forecast for Porbandar Dist. until 0830 hrs of 07-11-10

Parameters	Day-1 03-11-10	Day-2 04-11-10	Day-3 05-11-10	Day-4 06-11-10	Day-5 07-11-10
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	34	34	34	35	35
Minimum temperature °C	23	23	23	23	24
Cloud cover (Okta)	0	0	1	3	3
RH % (Morning/After noon)	31-27	36-35	60-58	85-58	87-27
Wind speed (Kmph)	011	011	007	000	006
Wind direction(Deg)	050	050	050	070	020

Agro meteorological Advisories

Cotton	1	Apply irrigation to the crop as when required.
	2	Harvest the crop timely.
Castor	1	For the control of aphids, thrips and jassids to spray trizophos 20 ml or methyl- O-demeton 5 ml or dimethiote 30 EC 10 ml in 10 liters of water.
	2	Apply irrigation to the crop as when required.