

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન  
( સમય તા : ૦૬.૦૭.૧૩ થી ૧૦.૦૭.૧૩ )

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	૦૦૩.૪
મહત્તમ તાપમાન (સે.ગ્રે.)	૩૪.૪
લઘુતમ તાપમાન (સે.ગ્રે.)	૨૬.૬
ભેજ(%) (સવાર/બપોરબાદ)	૮૬-૫૬
પવનની ગતિ (કિમી/કલાક)	૯.૧

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી ( તા.૧૦.૦૭.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૦૬.૦૭.૧૩	10	10
	૦૭.૦૭.૧૩	15	5
	૦૮.૦૭.૧૩	17	5
	૦૯.૦૭.૧૩	15	9
	૧૦.૦૭.૧૩	18	6
મહત્તમ તાપમાન (સે.ગ્રે.)	૦૬.૦૭.૧૩	29	29
	૦૭.૦૭.૧૩	29	30
	૦૮.૦૭.૧૩	29	30
	૦૯.૦૭.૧૩	29	30
	૧૦.૦૭.૧૩	29	30
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૦૬.૦૭.૧૩	26	27
	૦૭.૦૭.૧૩	26	27
	૦૮.૦૭.૧૩	26	28
	૦૯.૦૭.૧૩	26	28
	૧૦.૦૭.૧૩	26	28
વાદળની સ્થિતિ (ઓકટા)	૦૬.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૦૭.૦૭.૧૩	અંશત:વાદળછાયુ	અંશત:વાદળછાયુ
	૦૮.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૦૯.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૧૦.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
મહત્તમ ભેજ (%)	૦૬.૦૭.૧૩	81	81
	૦૭.૦૭.૧૩	83	82
	૦૮.૦૭.૧૩	81	81
	૦૯.૦૭.૧૩	80	80
	૧૦.૦૭.૧૩	79	78
લઘુત્તમ ભેજ (%)	૦૬.૦૭.૧૩	71	71
	૦૭.૦૭.૧૩	74	73
	૦૮.૦૭.૧૩	74	73
	૦૯.૦૭.૧૩	74	73
	૧૦.૦૭.૧૩	74	72
પવનની ગતિ (કિમી/કલાક)	૦૬.૦૭.૧૩	027	023
	૦૭.૦૭.૧૩	025	020
	૦૮.૦૭.૧૩	027	024
	૦૯.૦૭.૧૩	030	028
	૧૦.૦૭.૧૩	034	031
પવનની દિશા (ડીગ્રી)	૦૬.૦૭.૧૩	251	248
	૦૭.૦૭.૧૩	248	246
	૦૮.૦૭.૧૩	245	245
	૦૯.૦૭.૧૩	248	248
	૧૦.૦૭.૧૩	254	253

**પત્રક-ક**  
**જિલ્લાવાર કૃષિ સલાહ**

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	મગફળી	- વરાપ થયે મગફળીનાં પાકમા આંતરખેડ તથા હાથથી નિંદામણ કરવું.
	કપાસ	- વરાપ થયે કપાસના પાકમા આંતરખેડ તથા હાથથી નિંદામણ કરવું. - પાક એક માસનો થાય એટલે પૂર્તિ ખાતરનો પ્રથમ હપ્તો હેક્ટરે ૮૮ કિગ્રા. યુરીયા ( વિઘે ૧૪ કિગ્રા.) મુજબ આપવો.
	કઠોળ પાકો	- વરાપ થયે કઠોળ પાકોમા આંતરખેડ તથા હાથથી નિંદામણ કરવું.
	પશુપાલન	પશુઓને યોગ્ય આહાર આપવો.મચ્છર અને માખીઓથી બચાવવા પશુઓની રહેવાની જગ્યા સ્વચ્છ રાખવી. ઢોરને ખરવા –મોવાસા અને ગળસૂંઢાની રસી મૂકાવવી. પશુઓના છાણ, મુત્ર અને વઘેલા ખોરાકનો યોગ્ય નિકાલ કરવો.

## JUNAGADH

Phone: 0285-2670139

Date: 05-07-2013

(Period 06 to 10 July -2013)

### Significant weather for the preceding week

Rain fall (mm)	003.4
Maximum temperature °C	33.8-34.6
Minimum temperature °C	26.3-27.0
RH % (Morning/Afternoon)	86-56
Wind speed (Kmph)	6.3-11.3
Cloud cover	5-8

### Weather forecast for Junagadh Dist. until 08:30 hrs of 10- 07-2013

Parameters	Day-1 06-07-13	Day-2 07-07-13	Day-3 08-07-13	Day-4 09-07-13	Day-5 10-07-13
Rain fall (mm)	10	15	17	15	18
Maximum temperature °C	29	29	29	29	29
Minimum temperature °C	26	26	26	26	26
Cloud cover (Okta)	7	5	6	6	7
RH % (Morning/After noon)	81-71	83-74	81-74	80-74	79-74
Wind speed (Kmph)	027	025	027	030	034
Wind direction(Deg)	251	248	245	248	254

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
<b>Groundnut</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition.
<b>Cotton</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition. - Apply top dressing of fertilizer in the form of urea @ 88 kg/ha after one month of sowing of the crop.
<b>Pulses</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition.
<b>Live stocks</b>	-	Clean animal byres and spray neon insecticide 1 to 1.5ml per lit. of water for control the control of parasites in animal house. Due to chances of rainfall keep animals indoors during rainfall. Dispose the dung/urine left over the feed properly. Vaccinate animals against FMD and BQ to avoid disease outbreak during ensuing monsoon season. Provide 6-8 kg good quality dry roughage with 15-20 kg green fodder to the animals. Keep fodder in safe place to avoid spoilage due to rainfall. Keep animal shed hygienic and clean to avoid flies and mosquitoes.

## PORBANDAR

Phone : 0285-2670139

Date : 05-07-2013

(Period 06 to 10 July -2013)

### Weather forecast for **Porbandar** Dist. until 08:30 hrs of 10- 07-2013

Parameters	Day-1 06-07-13	Day-2 07-07-13	Day-3 08-07-13	Day-4 09-07-13	Day-5 10-07-13
Rain fall (mm)	10	5	5	9	6
Maximum temperature °C	29	30	30	30	30
Minimum temperature °C	27	27	28	28	28
Cloud cover (Okta)	7	5	6	6	7
RH % (Morning/After noon)	81-71	82-73	81-73	80-73	78-72
Wind speed (Kmph)	023	020	024	028	031
Wind direction(Deg)	248	246	245	248	253

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
<b>Groundnut</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition.
<b>Cotton</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition. - Apply top dressing of fertilizer in the form of urea @ 88 kg/ha after one month of sowing of the crop.
<b>Pulses</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition. -
<b>Live stocks</b>	-	Clean animal byres and spray neon insecticide 1 to 1.5ml per lit. of water for control the control of parasites in animal house. Due to chances of rainfall keep animals indoors during rainfall. Dispose the dung/urine left over the feed properly. Vaccinate animals against FMD and BQ to avoid disease outbreak during ensuing monsoon season. Provide 6-8 kg good quality dry roughage with 15-20 kg green fodder to the animals. Keep fodder in safe place to avoid spoilage due to rainfall. Keep animal shed hygienic and clean to avoid flies and mosquitoes.