

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન

( સમય તા : ૦૯.૦૩.૧૩ થી ૧૩.૦૩.૧૩ )

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	૦૦૦.૦
મહત્તમ તાપમાન (સે.ગે.)	૪૦.૦
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૭.૨
ભેજ(%) (સવાર/બપોરબાદ)	૪૦-૭
પવનની ગતિ (કિમી/કલાક)	૩.૬

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી ( તા.૧૩.૦૩.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૦૯.૦૩.૧૩	૦	૦
	૧૦.૦૩.૧૩	૦	૦
	૧૧.૦૩.૧૩	૦	૦
	૧૨.૦૩.૧૩	૦	૦
	૧૩.૦૩.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૦૯.૦૩.૧૩	૩૮	૩૮
	૧૦.૦૩.૧૩	૩૭	૩૭
	૧૧.૦૩.૧૩	૩૫	૩૫
	૧૨.૦૩.૧૩	૩૫	૩૫
	૧૩.૦૩.૧૩	૩૫	૩૫
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૦૯.૦૩.૧૩	૨૧	૧૯
	૧૦.૦૩.૧૩	૨૧	૧૯
	૧૧.૦૩.૧૩	૨૦	૧૯
	૧૨.૦૩.૧૩	૨૦	૧૮
	૧૩.૦૩.૧૩	૨૦	૧૮
વાદળની સ્થિતિ (ઓકટા)	૦૯.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
	૧૦.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
	૧૧.૦૩.૧૩	મોટેભાગે ચોખ્ખું	ચોખ્ખું
	૧૨.૦૩.૧૩	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૧૩.૦૩.૧૩	મોટેભાગે ચોખ્ખું	અંશતઃ વાદળછાયું
મહત્તમ ભેજ (%)	૦૯.૦૩.૧૩	૩૫	૨૩
	૧૦.૦૩.૧૩	૬૩	૭૭
	૧૧.૦૩.૧૩	૬૯	૮૨
	૧૨.૦૩.૧૩	૭૧	૮૩
	૧૩.૦૩.૧૩	૮૬	૯૫
લઘુત્તમ ભેજ (%)	૦૯.૦૩.૧૩	૩૨	૨૨
	૧૦.૦૩.૧૩	૫૯	૪૫
	૧૧.૦૩.૧૩	૫૨	૪૧
	૧૨.૦૩.૧૩	૬૦	૪૬
	૧૩.૦૩.૧૩	૬૯	૫૮
પવનની ગતિ (કિમી/કલાક)	૦૯.૦૩.૧૩	૦૧૮	૦૧૨
	૧૦.૦૩.૧૩	૦૧૬	૦૧૧
	૧૧.૦૩.૧૩	૦૧૬	૦૧૧
	૧૨.૦૩.૧૩	૦૧૫	૦૧૦
	૧૩.૦૩.૧૩	૦૧૪	૦૦૯
પવનની દિશા (ડીગ્રી)	૦૯.૦૩.૧૩	૩૪૨	૧૮૨
	૧૦.૦૩.૧૩	૩૧૩	૩૨૧
	૧૧.૦૩.૧૩	૩૨૧	૩૩૪
	૧૨.૦૩.૧૩	૩૧૨	૩૨૭
	૧૩.૦૩.૧૩	૩૦૮	૩૨૯

પત્રક-ક

જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	ઉનાળુ મગ	<ul style="list-style-type: none"><li>- ઉનાળુ મગનુ વાવેતર ૧૫ માર્ચ સુધીમાં કરવુ.</li><li>- મગની સુધરેલી જાતો જેવી કે કે-૮૫૧ અથવા મગ ગુજરાત-૩ પસંદ કરી બિયારણ નો દર ૨૫ કિગ્રા/હેક્ટર રાખવો.</li><li>- પાકને વાવતી વખતે હેક્ટરે ૨૦ કિગ્રા નાઈટ્રોજન ૪૦ કિગ્રા ફોસ્ફરસ આપવો એટલે કે હેક્ટરે ૮૭ કિગ્રા ડિએપી અને ૧૦ કિગ્રા યુરીયા આપવુ.</li></ul>
	ઉનાળુ મગફળી	<ul style="list-style-type: none"><li>- ઉનાળુ મગફળી ના પાકને નિંદામણ મુક્ત રાખવુ.</li></ul>
	આંબા	<ul style="list-style-type: none"><li>- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવુ.</li></ul>
	ઉનાળુ બાજરી	<ul style="list-style-type: none"><li>- ઉનાળુ બાજરીના પાકને પૂર્તિ ખાતરનો પ્રથમ હપ્તો ૨૧ દિવસે ૨૫ કિલો નાઈટ્રોજન પ્રતિ હેક્ટર એટલે કે વિઘે ૮ કિલો યુરીયા આપવુ.</li></ul>

## Junagadh

Phone: 0285-2670139

Date: 08-03-2013

(Period 09 March to 13 March -2013)

### Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	39.3-40.5
Minimum temperature °C	15.9-18.9
RH % (Morning/Afternoon)	40-7
Wind speed (Kmph)	3.2-4.1
Cloud cover	0-0

### Weather forecast for Junagadh Dist. until 0830 hrs of 13- 03-2013

Parameters	Day-1 09-03-13	Day-2 10-03-13	Day-3 11-03-13	Day-4 12-03-13	Day-5 13-03-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	38	37	35	35	35
Minimum temperature °C	21	21	20	20	20
Cloud cover (Okta)	0	0	1	1	1
RH % (Morning/After noon)	35-32	63-59	69-52	71-60	86-69
Wind speed (Kmph)	018	016	016	015	014
Wind direction(Deg)	342	313	321	312	308

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Summer Moong	-	<ul style="list-style-type: none"> <li>- Sowing operation of summer moong should be completed up to 15<sup>th</sup> March.</li> <li>- Select the variety either K-851 or Moong Gujarat-3 for summer sowing and keep the seed rate 25 kg/ha.</li> <li>- Apply 20 kg N and 40 kg P<sub>2</sub>O<sub>5</sub> at the time of sowing (i.e. 87 kg DAP/ha and 10 kg urea/ha)</li> </ul>
Summer Groundnut	-	<ul style="list-style-type: none"> <li>- Keep the crop weed free.</li> </ul>
Mango	-	<ul style="list-style-type: none"> <li>- Apply irrigation at an interval of 10 to 12 days.</li> </ul>
Summer Bajra	-	<ul style="list-style-type: none"> <li>- Apply 25 kg N/ha as top dressing after 21 DAS</li> </ul>

## Porbandar

Phone : 0285-2670139

Date : 08-03-2013

(Period 09 March to 13 March -2013)

**Weather forecast for Porbandar Dist. until 0830 hrs of 13- 03-2013**

Parameters	Day-1 09-03-13	Day-2 10-03-13	Day-3 11-03-13	Day-4 12-03-13	Day-5 13-03-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	38	37	35	35	35
Minimum temperature °C	19	19	19	18	18
Cloud cover (Okta)	0	0	0	2	3
RH % (Morning/After noon)	23-22	77-45	82-41	83-46	95-58
Wind speed (Kmph)	012	011	011	010	009
Wind direction(Deg)	182	321	334	327	329

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Summer Moong	-	<ul style="list-style-type: none"> <li>- Sowing operation of summer moong should be completed up to 15<sup>th</sup> March.</li> <li>- Select the variety either K-851 or Moong Gujarat-3 for summer sowing and keep the seed rate 25 kg/ha.</li> <li>- Apply 20 kg N and 40 kg P<sub>2</sub>O<sub>5</sub> at the time of sowing (i.e. 87 kg DAP/ha and 10 kg urea/ha)</li> </ul>
Summer Groundnut	-	<ul style="list-style-type: none"> <li>- Keep the crop weed free.</li> </ul>
Mango	-	<ul style="list-style-type: none"> <li>- Apply irrigation at an interval of 10 to 12 days.</li> </ul>
Summer Bajra	-	<ul style="list-style-type: none"> <li>- Apply 25 kg N/ha as top dressing after 21 DAS</li> </ul>