

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન

(સમય તા : ૧૩.૦૪.૧૩ થી ૧૭.૦૪.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગે.)	36.5
લઘુતમ તાપમાન (સે.ગ્રે.)	22.4
ભેજ(%) (સવાર/બપોરબાદ)	76-26
પવનની ગતિ (કિમી/કલાક)	7.1

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૧૭.૦૪.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૧૩.૦૪.૧૩	૦	૦
	૧૪.૦૪.૧૩	૦	૦
	૧૫.૦૪.૧૩	૦	૦
	૧૬.૦૪.૧૩	૦	૦
	૧૭.૦૪.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૧૩.૦૪.૧૩	૩૦	૩૧
	૧૪.૦૪.૧૩	૩૦	૩૨
	૧૫.૦૪.૧૩	૩૧	૩૧
	૧૬.૦૪.૧૩	૩૦	૩૦
	૧૭.૦૪.૧૩	૩૦	૩૧
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૩.૦૪.૧૩	૨૩	૨૩
	૧૪.૦૪.૧૩	૨૪	૨૩
	૧૫.૦૪.૧૩	૨૪	૨૩
	૧૬.૦૪.૧૩	૨૩	૨૩
	૧૭.૦૪.૧૩	૨૩	૨૩
વાદળની સ્થિતિ (ઓકટા)	૧૩.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૧૪.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૧૫.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૧૬.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૧૭.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
મહત્તમ ભેજ (%)	૧૩.૦૪.૧૩	૭૧	૭૨
	૧૪.૦૪.૧૩	૬૯	૭૧
	૧૫.૦૪.૧૩	૭૮	૭૯
	૧૬.૦૪.૧૩	૮૩	૮૩
	૧૭.૦૪.૧૩	૮૬	૮૬
લઘુત્તમ ભેજ (%)	૧૩.૦૪.૧૩	૫૪	૪૮
	૧૪.૦૪.૧૩	૫૧	૪૩
	૧૫.૦૪.૧૩	૫૩	૪૭
	૧૬.૦૪.૧૩	૬૦	૫૭
	૧૭.૦૪.૧૩	૬૫	૬૨
પવનની ગતિ (કિમી/કલાક)	૧૩.૦૪.૧૩	૦૨૨	૦૨૦
	૧૪.૦૪.૧૩	૦૧૯	૦૧૮
	૧૫.૦૪.૧૩	૦૧૬	૦૧૫
	૧૬.૦૪.૧૩	૦૧૮	૦૧૬
	૧૭.૦૪.૧૩	૦૨૫	૦૨૩
પવનની દિશા (ડીગ્રી)	૧૩.૦૪.૧૩	૩૩૦	૩૩૨
	૧૪.૦૪.૧૩	૩૧૩	૩૧૬
	૧૫.૦૪.૧૩	૨૯૧	૨૯૨
	૧૬.૦૪.૧૩	૨૭૨	૨૭૨
	૧૭.૦૪.૧૩	૨૬૯	૨૬૭

પત્રક-ક

જિલ્લાવાર કૃષિ સલાહ

બેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	શેરડી	- શેરડીના પાકમાં નિંદામણ દુર કરવું અને જમીનની પ્રત ધ્યાને લઈ ૧૦ થી ૧૨ દિવસે પિયત આપવું.
	ઉનાળુ મગફળી	- ઉનાળુ મગફળી ના પાકને નિંદામણ મુક્ત રાખવું અને ફૂલ અવસ્થાએ અવશ્ય પિયત આપવું.
	ઉનાળુ મગ	- પાકને જરૂરીયાત મુજબ પિયત આપવું.
	ઉનાળુ ગુવાર	- પાકમાં આવતા ભુકીછારા રોગનાં નિયંત્રણ માટે હેકઝાકોનેઝોલ ૧૦ મીલી ૧૦ લીટર પાણીમાં મિશ્ર કરી છંટકાવ કરવો.
	આંબા	- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવું.

Junagadh

Phone: 0285-2670139

Date: 12-04-2013

(Period 13 to 17 April -2013)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	36.0-37.0
Minimum temperature °C	22.0-24.0
RH % (Morning/Afternoon)	76-26
Wind speed (Kmph)	6.3-8.1
Cloud cover	0-4

Weather forecast for Junagadh Dist. until 0830 hrs of 17- 04-2013

Parameters	Day-1 13-04-13	Day-2 14-04-13	Day-3 15-04-13	Day-4 16-04-13	Day-5 17-04-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	30	30	31	30	30
Minimum temperature °C	23	24	24	23	23
Cloud cover (Okta)	0	0	0	0	0
RH % (Morning/After noon)	71-54	69-51	76-53	83-60	86-65
Wind speed (Kmph)	022	019	016	018	025
Wind direction(Deg)	330	313	291	272	269

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Remove weed from the crop and apply irrigation at an interval of 10 to 12 days.
Summer Groundnut	Flowering/Pegging	- Keep the crop weed free and apply irrigation at flowering stage.
Summer Cluster bean	Vegetative	- For the control of Powdery mildew disease, spray Hexaconazole 10 ml in 10 lit of water.
Green gram	Podding	- Apply irrigation as when required.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days.

Porbandar

Phone : 0285-2670139

Date : 12-04-2013

(Period 13 to 17 April -2013)

Weather forecast for Porbandar Dist. until 0830 hrs of 17- 04-2013

Parameters	Day-1 13-04-13	Day-2 14-04-13	Day-3 15-04-13	Day-4 16-04-13	Day-5 17-04-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	31	32	31	30	31
Minimum temperature °C	23	23	23	23	23
Cloud cover (Okta)	0	0	0	0	0
RH % (Morning/After noon)	72-48	71-43	79-47	83-57	86-62
Wind speed (Kmph)	020	018	015	016	023
Wind direction(Deg)	332	316	292	272	267

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Remove weed from the crop and apply irrigation at an interval of 10 to 12 days.
Summer Groundnut	Flowering/Pegging	- Keep the crop weed free and apply irrigation at flowering stage.
Summer Cluster bean	Vegetative	- For the control of Powdery mildew disease, spray Hexaconazole 10 ml in 10 lit of water.
Green gram	Podding	- Apply irrigation as when required.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days.