

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન

(સમય તા : ૧૭.૦૪.૧૩ થી ૨૧.૦૪.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગે.)	39.9
લઘુતમ તાપમાન (સે.ગ્રે.)	22.3
ભેજ(%) (સવાર/બપોરબાદ)	69-19
પવનની ગતિ (કિમી/કલાક)	6.7

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૨૧.૦૪.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૧૭.૦૪.૧૩	૦	૦
	૧૮.૦૪.૧૩	૦	૦
	૧૯.૦૪.૧૩	૦	૦
	૨૦.૦૪.૧૩	૦	૦
	૨૧.૦૪.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૧૭.૦૪.૧૩	૩૧	૩૨
	૧૮.૦૪.૧૩	૩૧	૩૨
	૧૯.૦૪.૧૩	૩૨	૩૩
	૨૦.૦૪.૧૩	૩૨	૩૩
	૨૧.૦૪.૧૩	૩૨	૩૨
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૭.૦૪.૧૩	૨૪	૨૫
	૧૮.૦૪.૧૩	૨૪	૨૫
	૧૯.૦૪.૧૩	૨૫	૨૬
	૨૦.૦૪.૧૩	૨૬	૨૬
	૨૧.૦૪.૧૩	૨૫	૨૬
વાદળની સ્થિતિ (ઓકટા)	૧૭.૦૪.૧૩	અંશત: વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૧૮.૦૪.૧૩	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૧૯.૦૪.૧૩	મોટેભાગે ચોખ્ખું	અંશત: વાદળછાયુ
	૨૦.૦૪.૧૩	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૨૧.૦૪.૧૩	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
મહત્તમ ભેજ (%)	૧૭.૦૪.૧૩	૯૦	૯૨
	૧૮.૦૪.૧૩	૮૭	૯૦
	૧૯.૦૪.૧૩	૮૮	૮૮
	૨૦.૦૪.૧૩	૮૬	૮૭
	૨૧.૦૪.૧૩	૮૯	૯૧
લઘુત્તમ ભેજ (%)	૧૭.૦૪.૧૩	૭૫	૭૦
	૧૮.૦૪.૧૩	૭૫	૭૦
	૧૯.૦૪.૧૩	૭૪	૭૩
	૨૦.૦૪.૧૩	૭૫	૭૦
	૨૧.૦૪.૧૩	૭૪	૬૮
પવનની ગતિ (કિમી/કલાક)	૧૭.૦૪.૧૩	૦૧૬	૦૧૦
	૧૮.૦૪.૧૩	૦૧૬	૦૧૧
	૧૯.૦૪.૧૩	૦૧૫	૦૦૮
	૨૦.૦૪.૧૩	૦૧૫	૦૦૯
	૨૧.૦૪.૧૩	૦૧૨	૦૦૬
પવનની દિશા (ડીગ્રી)	૧૭.૦૪.૧૩	૨૭૧	૨૬૩
	૧૮.૦૪.૧૩	૨૬૩	૨૫૯
	૧૯.૦૪.૧૩	૨૪૩	૨૨૧
	૨૦.૦૪.૧૩	૨૪૩	૨૩૨
	૨૧.૦૪.૧૩	૨૩૦	૧૮૬

પત્રક-ક

જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	શેરડી	- જમીનની પ્રત ધ્યાને લઈ ૮ થી ૧૦ દિવસે પિયત આપવું.
	ઉનાળુ મગફળી	- ઉનાળુ મગફળી ના પાકને ફૂલ તથા સુયા બેસવાની અવસ્થાએ અવશ્ય પિયત આપવું.
	ઉનાળુ મગ	- પાકને જરૂરીયાત મુજબ પિયત આપવું.
	ઉનાળુ ગુવાર	- પાકમાં આવતા ભુકીછારા રોગનાં નિયંત્રણ માટે હેકઝાકોનેઝોલ ૧૦ મીલી ૧૦ લીટર પાણીમાં મિશ્ર કરી છંટકાવ કરવો.
	આંબા	- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવું.

Junagadh

Phone: 0285-2670139

Date: 16-04-2013

(Period 17 to 21 April -2013)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	39.0-40.6
Minimum temperature °C	21.0-23.5
RH % (Morning/Afternoon)	69-19
Wind speed (Kmph)	5.7-7.5
Cloud cover	0

Weather forecast for Junagadh Dist. until 08:30 hrs of 21- 04-2013

Parameters	Day-1 17-04-13	Day-2 18-04-13	Day-3 19-04-13	Day-4 20-04-13	Day-5 21-04-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	31	31	32	32	32
Minimum temperature °C	24	24	25	26	25
Cloud cover (Okta)	4	2	2	2	1
RH % (Morning/After noon)	90-75	87-75	88-74	86-75	89-74
Wind speed (Kmph)	014	016	015	015	012
Wind direction(Deg)	271	263	243	243	230

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Apply irrigation at an interval of 8 to 10 days.
Summer Groundnut	Flowering/Pegging	- Apply irrigation at flowering and pegging stages.
Summer Cluster bean	Vegetative	- For the control of powdery mildew disease, spray Hexaconazole 10 ml in 10 lit of water.
Green gram	Podding	- Apply irrigation as when required.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days.

Porbandar

Phone : 0285-2670139

Date : 16-04-2013

(Period 17 to 21 April -2013)

Weather forecast for Porbandar Dist. until 08:30 hrs of 21- 04-2013

Parameters	Day-1 17-04-13	Day-2 18-04-13	Day-3 19-04-13	Day-4 20-04-13	Day-5 21-04-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	32	32	33	33	32
Minimum temperature °C	25	25	26	26	26
Cloud cover (Okta)	6	1	3	1	1
RH % (Morning/After noon)	92-70	90-70	88-73	87-70	91-68
Wind speed (Kmph)	010	011	008	009	006
Wind direction(Deg)	263	259	221	232	186

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Apply irrigation at an interval of 8 to 10 days.
Summer Groundnut	Flowering/Pegging	- Apply irrigation at flowering and pegging stages.
Summer Cluster bean	Vegetative	- For the control of powdery mildew disease, spray Hexaconazole 10 ml in 10 lit of water.
Green gram	Podding	- Apply irrigation as when required.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days.