

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન  
( સમય તા : ૨૦.૧૦.૧૨ થી ૨૪.૧૦.૧૨ )

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગ્રે.)	37.3
લઘુત્તમ તાપમાન (સે.ગ્રે.)	20.1
ભેજ(%) (સવાર/બપોરબાદ)	65-25
પવનની ગતિ (કિમી/કલાક)	3.1

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી ( તા.૨૪.૧૦.૧૨ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૨૦.૧૦.૧૨	૦	૦
	૨૧.૧૦.૧૨	૦	૦
	૨૨.૧૦.૧૨	૦	૦
	૨૩.૧૦.૧૨	૦	૦
	૨૪.૧૦.૧૨	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૨૦.૧૦.૧૨	૩૫	૩૫
	૨૧.૧૦.૧૨	૩૫	૩૫
	૨૨.૧૦.૧૨	૩૫	૩૫
	૨૩.૧૦.૧૨	૩૬	૩૬
	૨૪.૧૦.૧૨	૩૫	૩૬
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૨૦.૧૦.૧૨	૨૪	૨૨
	૨૧.૧૦.૧૨	૨૪	૨૩
	૨૨.૧૦.૧૨	૨૩	૨૩
	૨૩.૧૦.૧૨	૨૩	૨૨
	૨૪.૧૦.૧૨	૨૪	૨૨
વાદળની સ્થિતિ (ઓકટા)	૨૦.૧૦.૧૨	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૨૧.૧૦.૧૨	ચોખ્ખું	ચોખ્ખું
	૨૨.૧૦.૧૨	ચોખ્ખું	ચોખ્ખું
	૨૩.૧૦.૧૨	મોટેભાગે ચોખ્ખું	ચોખ્ખું
	૨૪.૧૦.૧૨	અંશતઃ વાદળછાયું	અંશતઃ વાદળછાયું
મહત્તમ ભેજ (%)	૨૦.૧૦.૧૨	૬૪	૫૨
	૨૧.૧૦.૧૨	૫૭	૫૩
	૨૨.૧૦.૧૨	૫૯	૫૫
	૨૩.૧૦.૧૨	૬૬	૬૪
	૨૪.૧૦.૧૨	૮૨	૯૪
લઘુત્તમ ભેજ (%)	૨૦.૧૦.૧૨	૫૬	૩૮
	૨૧.૧૦.૧૨	૪૭	૩૫
	૨૨.૧૦.૧૨	૪૭	૩૮
	૨૩.૧૦.૧૨	૫૬	૬૦
	૨૪.૧૦.૧૨	૬૩	૫૪
પવનની ગતિ (કિમી/કલાક)	૨૦.૧૦.૧૨	૦૧૮	૦૧૨
	૨૧.૧૦.૧૨	૦૧૫	૦૦૮
	૨૨.૧૦.૧૨	૦૧૪	૦૧૦
	૨૩.૧૦.૧૨	૦૧૨	૦૦૮
	૨૪.૧૦.૧૨	૦૦૬	૦૦૩
પવનની દિશા (ડિગ્રી)	૨૦.૧૦.૧૨	૨૫૩	૧૨૪
	૨૧.૧૦.૧૨	૧૩૩	૩૨
	૨૨.૧૦.૧૨	૩૨	૪૨
	૨૩.૧૦.૧૨	૨૩	૩૭
	૨૪.૧૦.૧૨	૨૩૮	૩૭

**પત્રક-ક**  
**જિલ્લાવાર કૃષિ સલાહ**

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	કપાસ	- પાન ના ટપકાના રોગના નિયંત્રણ માટે મેન્કોઝેબ ૫ % વે.પા. દવા ૨૫ ગ્રામ અથવા હેકઝાકોનાઝોલ ૫% ઈ.સી. ૧૦ મીલી. દવા નો ૧૦ લિટર પાણીમા દ્રાવણ બનાવી છંટકાવ કરવો.
	દિવેલા	- દિવેલા ની માળો પરીપકવ થયે કાળજી પુર્વક ઉતારી લેવી.
	શાકભાજી	- શાકભાજીના પાકોમા જરૂરીયાત મુજબ નિંદામણ કરવુ. - શાકભાજીના પાકોમા જરૂરીયાત મુજબ પિયત આપવુ.
	ચણા	- ચણા ની સુધારેલી જાતો જેવીકે દાહોદ પીળા, ચાફા, આઈ.સી.સી.વી.-૧૦, પી.જી.-૧, ગુજરાત ચણા-૧ અથવા ૨ પૈકી કોઈ એક જાત પસંદ કરવી. - બીજ નો દર ૬૦ કિ.ગ્રા. / હેકટર રાખવો. અંતર ૪૫×૧૦ સે.મી. પિયત માટે, બિનપીયત માટે ૩૦×૧૦ સે.મી. અંતર રાખવુ. - વાવણી સમયે પાયાના રાસાયણીક ખાતર તરીકે હેકટરે ૮૮ કિ.ગ્રા. ડી.એ.પી. આપવુ.
	સીતાફળી	- પુખ્તવયના સીતાફળના બગીચાને નીચમીત પીયત આપવુ, પરીપકવ ફળો ઉતારી ગ્રેડીંગ કરી બજાર મા મુકવા.

## Junagadh

Phone: 0285-2670139  
10-2012

Date :19-

(Period 20 to 24 October -2012)

### Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	36.8-38.2
Minimum temperature °C	20.0-20.1
RH % (Morning/Afternoon)	69-22
Wind speed (Kmph)	2.5-3.6
Cloud cover	0-2

### Weather forecast for Junagadh Dist. until 0830 hrs of 24-10-2012

Parameters	Day-3 20-10-12	Day-4 21-10-12	Day-5 22-10-12	Day-3 23-10-12	Day-4 24-10-12
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	35	35	35	36	35
Minimum temperature °C	24	24	23	23	24
Cloud cover (Okta)	1	0	0	2	3
RH % (Morning/After noon)	64-56	57-47	59-47	66-56	82-63
Wind speed (Kmph)	018	015	014	012	006
Wind direction(Deg)	253	133	32	23	238

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Cotton	Picking	- For the control of leaf spot daisies, spray Mencozeb 5% W.P. 25 gm or Hexaconazole 5% EC 10 ml in 10 liter of water.
Castor	Harvesting	- The ripening spiklets should be harvest in time.
Vegetables	-	- Carry out hand weeding in vegetable crops. - Apply irrigation as and when required.
Gram	-	- For sowing of gram, select variety either Dahod Yellow or Chafa or ICCV-10 or PG-1 or Gujarat gram-1 Or Gujarat gram-2 By keeping seed rate of 60 Kg/ha. - The distance should be kept 45x10 cm for irrigated and 30x10 cm for un-irrigated crop. - The basal dose of chemical fertilizer should be apply @ of 20 kg N and 40 kg P <sub>2</sub> O <sub>5</sub> / ha.
Custard Apple		- Apply irrigation at regular interval, ripen fruits should be harvested and after grading put them for selling in the market.

## Porbandar

Phone : 0285-2670139  
10-2012

Date : 19-

(Period 20 to 24 October -2012)

**Weather forecast for Porbandar Dist. until 0830 hrs of 24-10-2012**

Parameters	Day-3 20-10-12	Day-4 21-10-12	Day-5 22-10-12	Day-3 23-10-12	Day-4 24-10-12
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	35	35	35	36	36
Minimum temperature °C	22	23	23	22	22
Cloud cover (Okta)	2	0	0	0	3
RH % (Morning/After noon)	52-38	53-35	55-38	64-60	94-54
Wind speed (Kmph)	012`	008	010	008	003
Wind direction(Deg)	124	32	42	37	37

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Cotton	Picking	- For the control of leaf spot daisies, spray Mencozeb 5% W.P. 25 gm or Hexaconazole 5% EC 10 ml in 10 liter of water.
Castor	Harvesting	- The ripening spiklets should be harvest in time.
Vegetables	-	- Carry out hand weeding in vegetable crops. - Apply irrigation as and when required.
Gram	-	- For sowing of gram, select variety either Dahod Yellow or Chafa or ICCV-10 or PG-1 or Gujarat gram-1 Or Gujarat gram-2 By keeping seed rate of 60 Kg/ha. - The distance should be kept 45x10 cm for irrigated and 30x10 cm for un-irrigated crop. - The basal dose of chemical fertilizer should be apply @ of 20 kg N and 40 kg P <sub>2</sub> O <sub>5</sub> / ha.